

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB N° 1218-0072

IDENTITY <i>(As Used on Label and List)</i>	IDENTITY <i>(Technical)</i>
Runt Rescue	

Section I

Manufacturer's Name Brookside Agra, L.C.	Emergency Telephone Number (618) 628-8300
Address (Number, Street) 1331 Park Plaza Drive, Suite 1	Telephone Number for Information (618) 628-8300
Address (City, State, and ZIP Code) O'Fallon, IL 62269	FAX Number (618) 628-8333
Email: donr@brookside-agra.com	Date Prepared Signature of Preparer <i>(optional)</i> 03/07/2014

Section II ----- Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity: Common Name[s])	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
No Hazardous Components				

Section III ----- Physical/Chemical Characteristics

Boiling Point N/A	Specific Gravity (H2O=1)	Melting Point N/A
Vapor Pressure (mm Hg.) N/A	Vapor Density (Air=1) N/A	Evaporation Rate (Butyl Acetate=1) N/A
Solubility in Water Soluble	Appearance Colorless Liquid	Odor Mild

Section IV ----- Fire and Explosion Hazard Data

Flash Point (Method Used) Not Determined	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Alcohol-Resistant Foam, Carbonic	Special Fire Fighting Procedures Wear self-contained breathing	Unusual Fire and Explosion Hazards None	

Acid, Powder, Water Mist - Water jets should not be used since they can spread fire.	apparatus and protective clothing to prevent contact.	
--	---	--

Section V ----- Reactivity Data

Stability	Unstable		Conditions to Avoid
Stable	Stable	X	Do not expose to direct & excessive heat (e.g. sunlight) because it can lead to excess pressure.
Incompatibility (<i>Materials to Avoid</i>) Strong acids, Strong bases, Strong oxidizing agents, Strong catabolic agents			Hazardous Decomposition or Byproducts None
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI ----- Health Hazard Data

Route(s) of Entry: Ingestion & inhalation, no appreciable entry known through intact skin Although irritation is possible.	Inhalation? Yes	Skin? Yes	Ingestion? Yes
--	--------------------	--------------	-------------------

Health Hazards (*Acute and Chronic*)
Irritating to eyes and skin. Risk of serious skin irritation and serious eye irritation and damage.

Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
------------------	-------------	-------------------------	------------------------

Signs and Symptoms of Exposure	Medical Conditions generally Aggravated by Exposure
--------------------------------	---

Emergency and First Aid Procedures

In the case of accident, contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person’s condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation
Get the person into fresh air and stay with them.

Skin contact
Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact
Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion
Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns
Rinse with water until the pain stops and continue for 30 minutes.

Section VII ----- Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

Waste Disposal Method

Precautions to be Taken in Handling and Storing

Always store in containers of the same material as the original.

Other Precautions

No control is necessary if the product is used in a normal way.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

Exposure limits

There are no maximum exposure limits for the substances contained in this product.

Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed.

Always wash hands, forearms and face.

Section VIII --- Control Measures

Respiratory Protection (*Specify Type*)

Ventilation	Local Exhaust	Special N/A
	Mechanical (<i>General</i>) N/A	Other N/A
Protective Gloves		Eye Protection
Other Protective Clothing or Equipment		Work/Hygienic Practices